



# OKI proColor™ Series

An innovative line of color printers with unmatched print quality and media flexibility.



# OKI proColor<sup>TM</sup> Series

## Side-by-Side Feature Sets



### pro810 Series Digital Color Printers

### pro910 Digital Color Printer

		pro810 Series Digital Color Printers	pro910 Digital Color Printer
<b>Performance</b>	<b>Print Speed</b>	Up to 30 ppm Color, 32 ppm Mono <sup>1</sup>	Up to 31 ppm Color, 36 ppm Mono <sup>1</sup>
	<b>First Page Out</b>	As fast as 10 seconds Color, 9.5 seconds Mono <sup>1</sup>	As fast as 10 seconds Color, 9.5 seconds Mono <sup>1</sup>
	<b>Print Quality</b>	HD Color Printing technology; 1200 x 600 dpi	HD Color Printing technology; 1200 x 600 dpi (multi-bit)
	<b>Processor</b>	200 MHz Power PC	800 MHz Power PC
	<b>Std./Max. Memory</b>	128 MB	512 MB/1 GB
	<b>Hard Disk</b>	N/A	40 GB Optional
	<b>Monthly Duty Cycle</b>	Up to 75,000 pages	150,000 pages
<b>Compatibility</b>	<b>Emulations</b>	Enhanced Windows <sup>®</sup> Printing (GDI)	PCL <sup>®</sup> 5c, PCL ; PostScript <sup>®</sup> 3 <sup>™</sup> ; PDF v1.6
	<b>Operating Systems</b>	Windows <sup>®</sup> 7, Vista <sup>®</sup> , XP; Mac <sup>®</sup> OSX	Windows 7, Vista, XP; Mac OSX (Intel <sup>®</sup> )
	<b>Interfaces (Local/Network)</b>	USB 2.0; 10 Base-T Ethernet	USB 2.0; 1 GB Ethernet
<b>Media</b>	<b>Media Capacity</b>	pro810n/dn: 300 sheets + 100-sheet MPT pro810dtn: 830 sheets + 100-sheet MPT Optional 2nd & 3rd 530-sheet Trays	530-sheet Tray + 230-sheet MPT Optional 4 Trays @ 530 sheets
	<b>Media Weight</b>	Tray 1: 17 lb. bond–80 lb. text (64–220 gsm) Tray 2/3: 17 lb. bond–65 lb. cover (64–176 gsm) MPT: 17 lb. bond–80 lb. cover (64–220 gsm) Duplex: 17 lb. bond–28 lb. bond (64–105 gsm)	Trays 1–5: 17 lb. bond–80 lb. cover (64–216 gsm); MPT: 17 lb. bond–190 lb. index (64–330 gsm); Duplex: 20 lb. bond–65 lb. cover (75–188 gsm)
	<b>Duplex</b>	<b>pro810dn/dtn:</b> Standard; <b>pro810n:</b> Optional	Standard
	<b>Media Sizes</b>	4" x 6" to 11.6" x 52"	3" x 5" to 12.9" x 47.24"
<b>Supplies</b>	<b>Toner</b>	8,000 pages <sup>2</sup>	15,000 pages <sup>5</sup>
	<b>Image Drum</b>	20,000 pages <sup>3</sup>	28,000 pages <sup>6</sup>
<b>Warranty</b>	<b>Printer/Printheads</b>	2-Year On-Site <sup>4</sup> ; 5-Year LED Printheads	2-Year On-Site <sup>4</sup> ; 5-Year LED Printheads
<b>Highlights</b>		Fast Windows <sup>®</sup> Enhanced Printing: <ul style="list-style-type: none"> <li>• CAD/CAM</li> <li>• Technical drawings</li> <li>• Wiring diagrams</li> </ul>	Adobe PostScript 3; PDF Direct Printing; Smooth, rich, consistent color; High media flexibility; Duplex standard; 1 GB network interface

<sup>1</sup> Published performance results based on laboratory testing. Individual results may vary.

<sup>2</sup> Declared yield in accordance with ISO 19798.

<sup>3</sup> Based on 3 pages per job.

<sup>4</sup> Available in the U.S. only.

<sup>5</sup> Letter-size sheets at 5% coverage.

<sup>6</sup> Based on 500 pages per job.



### pro930 Digital Color Printer

### pro900DP Digital Color Press

### pro510DW Digital Color Web

Up to 31 ppm Color, 36 ppm Mono <sup>1</sup>	Up to 36 ppm Color, 40 ppm Mono <sup>1</sup>	30 ft./min. <sup>1</sup>
As fast as 10.5 seconds Color, 9 seconds Mono <sup>1</sup>	As fast as 10.5 seconds Color, 9 seconds Mono <sup>1</sup>	As fast as 10.5 seconds Color, 9 seconds Mono <sup>1</sup>
HD Color Printing technology; 1200 x 1200 dpi (multi-bit)	HD Color Printing technology; 1200 x 1200 dpi	HD Color Printing technology; 600 x 600 dpi or 1200 x 600 dpi
1 GHz Celeron® M; embedded EFI® Fiery®	1 GHz Celeron M; embedded EFI Fiery	800 MHz Power PC
1 GB	1 GB	1 GB
40 GB Standard	40 GB Standard	40 GB Standard
150,000 pages	150,000 pages	Continuous: 106,000 feet; Cut Sheet: 150,000 pg.
PCL 5c; PostScript 3; PDF v1.6	PCL 5c, PCL XL (Color); PostScript 3; PDF v1.6	Continuous: PCL 5c
Windows 7, Vista, XP; Mac OSX (Intel)	Windows 7, Vista, XP; Mac OSX (Intel)	Windows 7, Vista, XP
USB 2.0; 1 GB Ethernet	USB 2.0; 1 GB Ethernet	USB 2.0; 1 GB Ethernet
530-sheet Tray + 230-sheet MPT Optional 4 Trays @ 530 sheets	Printer: 530-sheet Media Tray + 230-sheet MPT; Feeder Mechanism: (Capacity TBD)	Continuous Feed or 530-sheet Media Tray
Trays 1–5: 17 lb. bond–80 lb. cover (64–216 gsm); MPT: 17 lb. bond–190 lb. index (64–330 gsm); Duplex: 20 lb. bond–65 lb. cover (75–188 gsm)	Media Tray: 17 lb. bond–80 lb. cover (64–216 gsm); MPT: 17 lb. bond–190 lb. index (64–330 gsm); Optional Duplex: 20 lb. bond–65 lb. cover (75–188 gsm); Feeder Mechanism: (TBD)	Continuous: 64–216 gsm; Tray 1: 17 lb. bond–80 lb. cover (64–216 gsm); MPT: 17 lb. bond–190 lb. index (64–330 gsm); Optional Duplex: 20 lb. bond–65 lb. cover (75–188 gsm)
Standard	Optional	Optional (Sheet-fed only)
3" x 5" to 12.9" x 47.24"	3" x 5" to 12.9" x 47.24"	Width: up to 12.9"; Length: up to 300 ft.
15,000 pages <sup>5</sup>	CMY: 16,500 pages; Black: 18,500 pages <sup>5</sup>	CMY: 16,500 pages; Black: 18,500 pages <sup>5</sup>
28,000 pages <sup>6</sup>	42,000 pages <sup>6</sup>	42,000 pages <sup>6</sup>
2-Year On-Site <sup>4</sup> ; 5-Year LED Printheads	2-Year On-Site Printer <sup>4</sup> ; 5-Year LED Printheads	2-Year On-Site <sup>4</sup> ; 5-Year LED Printheads
Embedded Fiery controller and utilities; PANTONE® calibrated; High resolution color; handles 330 gsm paper weight; Duplex standard; 1 GB network interface	Compact production press; Full-color envelope printing; Embedded Fiery controller; PANTONE calibrated; Wide range of media	Variable data printing on variable length media; Continuous feed and cut sheet printing; Labels/Tags, Scientific charts; Automatic cut-on-the-fly

The OKI proColor™ Series is an innovative family of printers designed for the Graphic Arts & Production market. Whether for color-accurate proofs, short-run color jobs that include variable data, or cost-efficient web printing, the proColor Series delivers—to the industry's most exacting color standards and with low investment/operating costs.



**pro810 Series  
Digital Color Printers**

**Fast, professional-quality color proofs from an affordable, compact tabloid printer**

- Complement to plotters for the AEC market
- 3 models, with network, duplex, extra paper capacity standard
- HD Color Printing for breathtaking output—even on ordinary paper
- Low printing costs and high operational efficiencies
- 2-Year On-Site warranty<sup>1</sup>



**pro910  
Digital Color Printer**

**The tabloid printer with high-quality color and media flexibility for short-run applications**

- HD Color Printing for breathtaking output—even on ordinary paper
- Fits seamlessly into existing color workflows
- Handles paper stock up to 330 gsm, 12" x 18", banners to 47.24", cling film, magnetic media
- Duplex (2-sided) printing standard
- 2-Year On-Site warranty<sup>1</sup>



**pro930  
Digital Color Printer**

**The tabloid printer for incredible color output and consistently accurate color matching**

- Embedded EFI® Fiery® System 8e controller with SmartRIP®
- HD Color Printing for breathtaking output—even on ordinary paper
- 1200 x 1200 dpi
- Handles paper stock up to 330 gsm, 12" x 18", banners to 47.24", cling film, magnetic media
- 2-Year On-Site warranty<sup>1</sup>



**pro900DP  
Digital Color Press**

**Brilliant, consistent production color and customized output—including envelopes**

- Embedded EFI® Fiery® System 8e controller with SmartRIP®
- Handles paper stock up to 330 gsm, 12" x 18", banners to 47.24", cling film, magnetic media
- Prints up to 36 ppm in Color, 40 ppm in Mono<sup>2</sup>
- HD Color Printing for breathtaking output—even on ordinary paper
- 2-Year On-Site warranty<sup>1</sup>




**pro510DW  
Digital Color Web**

**Fast, customized continuous web printing with exceptional color quality for short runs**

- Easy operation in Continuous and Cut Sheet modes
- Prints tags, labels at up to 30'/19.4m per min., full-color cut sheets at up to 36 ppm<sup>2</sup>
- Automatic cut and reload between jobs
- HD Color Printing for breathtaking output—even on ordinary paper
- 2-Year On-Site warranty<sup>1</sup>

Printed on an OKI proColor™ Series printer



**Important Consumables Information:** This product has been designed and engineered to operate only with genuine OKI Printing Solutions consumables. Use of non-genuine consumables will result in the loss of certain printer enhancements, such as Auto Color Balance and Toner Sensor gauge.

**For more information on Digital Color Printers and Supplies from OKI Printing Solutions: 1.800.OKI.DATA (800.654.3282).**

**OKI DATA AMERICAS, INC.**

USA

2000 BISHOPS GATE BLVD.

MOUNT LAUREL, NJ 08054-4620

TEL: 800.OKI.DATA (800.654.3282)

FAX: 856.222.5320

[www.okiprintingsolutions.com/procolor](http://www.okiprintingsolutions.com/procolor)

<sup>1</sup> Available in the U.S. only. <sup>2</sup> Published performance results based on laboratory testing. Individual results may vary.

Specifications are subject to change without notice.

Featured products may not be available in all countries. Please contact your local office for regional availability.

© 2010 Okidata Americas, Inc. OKI Reg. T.M., Reg. T.M., Ok Electric Industry Co., Ltd. HD Color logo T.M., Single Pass Color T.M., Okidata Corp. proColor logo T.M., Okidata Americas, Inc. PCL Reg. T.M., Hewlett Packard Co. EFI, Fiery, SmartRIP Reg. T.M., EFI Inc. Microsoft, Windows, Vista Reg. T.M., Microsoft Corp. Intel, Celeron Reg. T.M., Intel Corp. PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. Mac Reg. T.M., Apple Inc. PANTONE Reg. T.M., Pantone LLC.